

Patient File No.

: 3432

:

Patient Name

Kimaya Satyan Iham

Nationality

Indian

Emirates ID

784-2014-3608327-9

DOB

14-Jan-2014

Gender

Female

Date

25-Mar-2024

Surgery & Tooth Extraction

Extraction and surgerles are the last course of action any dentist would choose but some teeth are beyond repair. The patient is anaesthetized for the procedure; after the procedure the patient may experience numbness or loss of feeling in the tongue, Ilps, teeth or surrounding structures (Paresthesia) that may last for an indefinite period of time (days or months).In some cases pharmacological treatment may be needed prior, during, and after the extraction this is why the patient must disclose his/her full medical status before proceeding with the treatment or else drug interaction or aflergy may arise. If he/she fails to do so he/she are responsible for any financial, medical, legal or moral liabilities. The procedure is relevantly easy but in some cases due to the complicated root morphology or shape the root tip may fracture or dislodge into the sinus thus requiring surgical procedure to remove it or in some cases it may be left embedded in Jaw bone. Teeth Indicated for extraction are sometimes accompanied with abscesses that require surgical drainage. Any further treatment happens unexpectedly to the treatment plan for any reason, would be subject to additional cost which the patient has to pay, and would require extra treatment time and extra sessions. In some cases, the tooth is attached to the bone firmly or embedded in bone rendering simple extraction almost impossible thus requiring a more complicated surgical procedure which may include incisions, removal of surrounding bone and suturing the wound. During the procedure the adjacent teeth may be leasened or in some cases their fillings or the tooth itself might fracture. In some cases, extraction may lead to law fracture. In some cases, the patient may be hospitalized due to complications. Following the doctor's postoperative instructions is imperative to ensure that no complications occur. It is fairly common for the face to swell bruises to appear or limited jaw opening to occur or numbness of the lips after extraction and for the patient to experience some post-operative pain for the following 2-3 days or longer, if the pain increases the patient must return to the doctor to check the wound's status looking for dry socket or infection. The method of treatment is decided by the treating dentist's judgment and the position and condition of the tooth. As for children the same rules, precautions and procedures apply.

In case the patient insisted on changing the treatment plan in conflict with the dentist's advice, he / she or his / her representative or the person responsible for him / her has to sign a pledge that exempts Dentistree Dental Clinic, and its Dentists, in full from of any liability whatsoever, whether financial, medical, legal or moral.

The patient's absence on the dates and timings set for him / her or lack of commitment to the doctor's instructions could lead to complications that would change the treatment plan, or lead to its failure, and in such case, he/she alone would be responsible to pay the cost of the original treatment plan already agreed upon in addition to the additional cost resulting from modifying the treatment plan. The patient in this case is responsible about the results whatsoever and should fully exempt Dentistree Dental Clinic and its doctors from any liability whether financial, medical, legal or moral.

The cost of all stages of treatment must be paid in full in advance and is non-refundable at any stage of their treatment, even if the patient did not complete the treatment for any reason whatsoever. Signing this paper by the patient or any person who is responsible for him/her or represents him/her means that:

He/she has read the paper and understood its contents, and has questioned in a full and satisfactory manner about everything related to the treatment from the doctors of the

الجراحة وخلع الأسنان

المطيات الجراحية أو خلع السن هو آخر حل يقترحه الطبيب. بعض الأسنان لا يمكن علاجها يغير الخلع، خلال عملية الخلع بتم تخدير المريض ومن بعدها يمكن المرتض أن يفقد الإحساس في بعض الأسنان واللسان والشقة والمنطقة المحيطة بالسن لفترة غير محددة (ايام أو أشهر). في بعض الأحيان قد يحتاج المريض لأخذ بعض الأدوية قبل أو خلال أو بعد الملاج لللك على المريض الإفصاح عن حالته الصحية بالتفصيل لتجنب الحساسية للمواء أو أي تفاعل غير مرغوب مع الأدوية الأخرى، وفي حال عدم إفصاحه عن أية مشاكل صحية يتحمل هو وهو وحده المسؤولية العالية أو الطبية أو القانونية أو المعنوية مهما كالت. العملية سهلة بشكل عام لكن في بعض الأحيان بسبب شكل الجلز المعقد قد يتكسر رأس الجدواو فزاح للجيوب وقد يحتاج لتدخل جراحي لإزالته أوفي المعمد مد يسسر رس مصدور بين محبود المسان التي يتم علمها في يعض الأحيان مكن الأحيان مكن الأحيان على عطمها في يعض الأحيان مصحوبة بخراج الذي قد يحتاج لتفريغ جراحي، أي علاج آخر يطرأ على خطة تكون مصحوبة بخراج الذي قد يحتاج لتفريغ جراحي، أي علاج آخر يطرأ على خطة العلاج لأي سبب فله تكلفة إضافية بجب على المربض دفعها ويتطلب وقت ومواعيد علاج إضافية . في يعض الإحيان يكون أنسن شبه ملتصق بالعظم أو مطمور مما قد بجول عملية الخلع لجراحة تنطلب شق لئة و إزالة بعض العظم المحيط و من ثم تقطيب الجرح. خلال عملية الخلع قد تتحرك الأسنان المجاورة للسن المتصرر أو في بعض الأحيان قد يكسر السن أو الحشوة في السن المجاور، و قد ينكس الفك خلال عملية الخلع.. قد يتم إدخال المريض للمستشفى في حال حدوث أي مضاعفات. إتباع أوامر سمع .. حديم ومسان معربين مصسمي و عان حدوث بي سماست و عدم فقط الطنيب أمر الزاي لتجنب أي مضاعفات بعد العملية. إنتفاع أو لبقع الوجه و عدم فقح القم بأكمله و تخبير الشفاه و الإحساس ببعض الألم أمر إعتيادي ليضعة أيام أو لفترة الطول، في حال زاد الألم فعلى المريض مراجعة الطنيبة للتحقق من الأمر و التأكد من علم وجود أية التهابات. طريقة الخلع يتم تحديدها من قبل الطبيب المعالج بما يتناسب مع حالة المريض، بالنسبة للرطفال فنفس الشروط و المحاذير و طرق الخلع تطبق.

تكلفة جميع مراحل العلاج يجب أن تدفع مقدمًا بالكامل و هي غير مرتجعة في أي مرجلة من مراحل العلاج حتى و لم يكمل المريض العلاج لأي سيب.

في حال أميرار المريض على تفير خطة العلاج بما يتمارض مع تصابح الطبيب فعلية هو أو من يمثله أو مسؤول عنه التوقيع على التعهد الخاص بللك والذي يعفي عيادة عيادة ديناستري السنان وأطبائه وبشكل كامل من أي مسؤولية مالية أو طبية أو قانونية أو معنوية مهما كانت.

عدم التزام المريض بالمواعيد المحددة له أو تعليمات الأطباء قد يؤدي إلى مضعفات قد ... تمير خطة الملاج أو يؤدي إلى فضفا خطة ... تمير خطة الملاج أو يؤدي إلى فضافة أو أو هذه الحالة يتحمل هو وحده تكلفة خطة الملاج الأصلية المنطق عليها أضافة إلى التكلفة الإضافية الناتجة من تبديل خطة العلاج كما يتحمل المريض أيضا أي مسؤولية أخرى دون تحمل عيادة عيادة دينتاستري للسنان أو أطبابه أي مسؤولية وأدية أو معنوية أو قانونية مها كانت.

توقيع المريض أو من هو مسؤول عنه أو يمثله على هذه الورقة يعني أنه:

قراها و فهم ما فنها وقبل بها و استفسر بشكل كامل وبرضيه كل ما يتعلق بالملاج من اطباء المركز ومن أي، جهة أخرى بزيدها و وافق عليها و طلب من أطباء عيادة عيادة دينة استري لنستان الديده في العلاج و فوجيهم بعمل ما يرونه مناسب لملاجه وتعهد بالإلتزام بتمليماتهم و مواعيد العلاج و بلغم كامل تكلفة العلاج.

لقد قرأت ما سبق و عليه أوقع توقيع المريض/ المريضة أو من يمثله: